

Safety Data Sheet

MPD

Replaces date: 28/08/2023

Revision date: 21/02/2025
Version: 1.4.0

SECTION 1: Identification

1.1. GHS Product identifier

Trade name: MPD

1.2. Recommended use of the chemical and restrictions on use

Recommended uses: Surface treatment.

1.3. Supplier's details

Supplier

Company: Mouldpro ApS
Address: Baltorpbakken 10
Zip code: 2750
City: Ballerup
Country: DENMARK
Email: sales@mouldpro.com
Phone: +45 70 20 31 31
Homepage: www.mouldpro.com

1.4. Emergency phone Number

+ 45 70 20 31 31 (Mouldpro) The emergency telephone is open between 8 a.m. and 4 p.m. on workdays.

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS classification: Skin irritation, Category 3;H316
Eye irritation, Category 2B;H320
Hazardous to the aquatic environment, short-term (Acute), Category 3;H402

Most serious harmful effects: Causes mild skin irritation. Causes eye irritation. Harmful to aquatic life.

2.2. GHS label elements, including precautionary statements

Signal word: Warning

Hazard Statements

H316 Causes mild skin irritation.
H320 Causes eye irritation.
H402 Harmful to aquatic life.

Precautionary statements

P273 Avoid release to the environment.
P332+313 If skin irritation occurs: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local regulation.

2.3. Other hazards which do not result in classification

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No	Concentration	Notes
-----------	--------	---------------	-------

Safety Data Sheet

MPD

Replaces date: 28/08/2023

Revision date: 21/02/2025

Version: 1.4.0

Ceteareth-10	68439-49-6	1 - 10 %	
Synthetic Diamond	7782-40-3	1 - 10 %	
Paraffin-waxes-and-Hydrocarbon-waxes	8002-74-2	1 - 10 %	
Synthetic amorphous silicon dioxide	7631-86-9	1 - 10 %	

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

Inhalation:	Seek fresh air. Seek medical advice in case of persistent discomfort.
Ingestion:	Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of persistent discomfort.
Skin contact:	Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in case of persistent discomfort.
Eye contact:	Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.
General:	Bring the safety data sheet or label when seeking medical advice.

4.2. Most important symptoms/effects, acute and delayed

Causes mild skin irritation. Causes eye irritation.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptoms. No special immediate treatment required.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media:	Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited stock.
Unsuitable extinguishing media:	Do not use a jet of water, as it may spread the fire.

5.2. Specific hazards arising from the chemical

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

5.3. Special protective actions for fire-fighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:	Stay upwind/keep distance from source. Stop leak if this can be done without risk. Provide good ventilation. Wear safety goggles if there is a risk of eye splash. Wear gloves.
For emergency responders:	In addition to the above: Normal protective clothing is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

Safety Data Sheet

MPD

Replaces date: 28/08/2023

Revision date: 21/02/2025

Version: 1.4.0

6.3. Methods and materials for containment and cleaning up

Contain and absorb spills using sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment.

See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Do not store with the following: Strong acids/ Strong alkalis. Keep in tightly closed original packaging.

7.3. Specific end use(s)

No special uses in addition to identified uses in 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: There are no official GHS occupational exposure limits. Be aware of possible national occupational exposure limits.

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational hygiene measurements.

8.2. Exposure controls

Appropriate engineering controls: Wear the personal protective equipment specified below.

Personal protective equipment, eye/face protection: Wear safety goggles if there is a risk of eye splash.

Personal protective equipment, hand protection: Wear gloves. Type of material: PVC. Breakthrough time has not been determined for the product. Change gloves often.

Personal protective equipment, respiratory protection: Not required.

Environmental exposure controls: Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
Physical state	Paste
Color	Different
Odour	Weak
Solubility	Poorly soluble in the following: Water.

Safety Data Sheet

MPD

Replaces date: 28/08/2023

Revision date: 21/02/2025

Version: 1.4.0

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	> 40 °C	
Freezing point	No data	
Boiling point or initial boiling point and boiling range	No data	
Flammability	No data	
Lower and upper flammability limit	No data	
Lower and upper explosion limit	No data	
Flash Point	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	> 5000 x mm ² /s (40 °C) (ISO3104/3105)	
Viscosity	No data	
Partition coefficient n-octanol/water (log value)	No data	
Vapour pressure	No data	
Density	~ 1,05 g/cm ³	
Relative density	No data	
Relative vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Other Information: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Strong acids/ Strong alkalis.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids/ Strong alkalis.

10.6. Hazardous decomposition products

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

Safety Data Sheet

MPD

Replaces date: 28/08/2023

Revision date: 21/02/2025

Version: 1.4.0

SECTION 11: Toxicological information

11.1. Information on health hazard classes

Acute toxicity - oral

Ceteareth-10, cas-no 68439-49-6

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	ATE		500 mg/kg			

Synthetic Diamond, cas-no 7782-40-3

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg			

Synthetic amorphous silicon dioxide, cas-no 7631-86-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		5000 mg/kg			

The product does not have to be classified. Test data are not available. Ingestion may cause discomfort.

Acute toxicity - dermal

Synthetic Diamond, cas-no 7782-40-3

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg			

Synthetic amorphous silicon dioxide, cas-no 7631-86-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		2000 mg/kg			

The product does not have to be classified. Test data are not available.

Acute toxicity - inhalation

Synthetic Diamond, cas-no 7782-40-3

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50	4 h	> 5.2 mg/l			

Synthetic amorphous silicon dioxide, cas-no 7631-86-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50	4 h	2.2 mg/l			

The product does not have to be classified. Test data are not available.

Skin corrosion/irritation:

Causes mild skin irritation.

Serious eye damage/eye irritation:

The product does not have to be classified. Test data are not available. Causes eye irritation.

Respiratory sensitization or skin sensitization:

The product does not have to be classified. Test data are not available.

Germ cell mutagenicity:

The product does not have to be classified. Test data are not available.

Carcinogenic properties:

The product does not have to be classified. Test data are not available.

Reproductive toxicity:

The product does not have to be classified. Test data are not available.

Single STOT exposure:

The product does not have to be classified. Test data are not available.

Repeated STOT exposure:

The product does not have to be classified. Test data are not available.

Aspiration hazard:

The product does not have to be classified. Test data are not available.

Safety Data Sheet

MPD

Replaces date: 28/08/2023

Revision date: 21/02/2025
Version: 1.4.0

11.2. Information on other hazards

Endocrine disrupting properties: None known.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

Cetareth-10, cas-no 68439-49-6

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish		96 h	LC50	0.4640 mg/l			

Synthetic amorphous silicon dioxide, cas-no 7631-86-9

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Algae		72 h	EC50	440 mg/l			
Fish	Brachydanio rerio	96 h	LC50	5000 mg/l			
Fish		96 h	LC50	5000 mg/l			
Crustacea		48 h	EC50	7600 mg/l			

Harmful to aquatic life.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Disposal methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14: Transport information

14.1. UN number: Not applicable.

14.4. Packing group, if applicable: Not applicable.

14.2. UN proper shipping name: Not applicable.

14.5. Environmental hazards: Not applicable.

Safety Data Sheet

MPD

Replaces date: 28/08/2023

Revision date: 21/02/2025

Version: 1.4.0

14.3. Transport hazard class(es): Not applicable.

14.6. Special precautions for user

None.

14.7. Transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Special Provisions:

None.

15.2. Chemical Safety Assessment

Other Information:

Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes
1.4.0	21/02/2025	DOL	5,13,16

Abbreviations:

PBT: Persistent, Bioaccumulative and Toxic
STOT: Specific Target Organ Toxicity
vPvB: Very Persistent and Very Bioaccumulative

Other Information:

This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with GHS Rev. 10 (2023).

Training advice:

A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method:

Calculation based on the hazards of the known components. Test data.

SDS is prepared by

Company: Bureau Veritas Solutions Denmark A/S
Address: Oldenborggade 25-31
Zip code: 7000
City: Fredericia
Country: DENMARK
Email: solutions-dk@bureauveritas.com
Phone: +45 77 31 10 00
Homepage: www.bureauveritas.dk

Country: UN